



# California Regional Water Quality Control Board

## San Diego Region

**Winston H. Hickox**  
Secretary for  
Environmental  
Protection

Internet Address: <http://www.swrcb.ca.gov/rwqcb9/>  
9174 Sky Park Court, Suite 100, San Diego, California 92123  
Phone (858) 467-2952 • FAX (858) 571-6972



April 8, 2003

Mr. Rob Chichester  
Deputy Asst. Chief of Staff  
Environmental Department N45RW. RC  
U.S. Navy  
33000 Nixie Way-Bldg. 50, Suite 326  
San Diego, CA 92147-5110

File #03-0538.01

Dear Mr. Chichester:

TENTATIVE ADDENDUM NO. 1 TO ORDER NO. R9-2002-0002, NPDES NO. CA0109363, WASTE DISCHARGE REQUIREMENTS FOR U.S. NAVY, NAVAL BASE POINT LOMA, SAN DIEGO COUNTY; WDID NO. 9 000000538

In response to your letter dated November 18, 2002, we have prepared a tentative addendum, which would, if adopted, modify the monitoring requirements in Monitoring and Reporting Program (MRP) No. R9-2002-0002. The tentative Addendum is proposed to make Order No. R9-2002-002 be consistent with the changes made by the Regional Board to *Order No. R9-2002-0169* for the *Naval Base San Diego*. The modifications include the following:

- The requirement for anticipated storm event inspections (p. M-12, Storm Water Discharge and Other Visual Observations 7.f) was deleted.
- The designation for the number of dry weather days for visual observations (p. M-12, Storm Water Discharge and Other Visual Observations 7.a) and for sample collection (p. M-13, Sampling and Analysis 8.b) was changed from 3 days to 7 days.

The tentative Addendum will be presented to the Regional Board on Wednesday, **May 14, 2003**. The meeting will begin promptly at 9:00 a.m. and will be held at the following location:

San Diego Regional Water Quality Control Board  
Regional Board Meeting Room  
9174 Sky Park Court, Suite 100  
San Diego, California

### ***California Environmental Protection Agency***

*The energy challenge facing California is real. Every Californian needs to take immediate action to reduce energy consumption. For a list of simple ways you can reduce demand and cut your energy costs, see our Web-site at <http://www.swrcb.ca.gov>.*

Recycled Paper



Mr. Rob Chichester  
U.S. Navy

- 2 -

April 8, 2003

Please review and comment on the tentative Addendum at your earliest convenience. To ensure that the Regional Board has the opportunity to fully study and consider written material, comments should be received in the Regional Board's office no later than 5:00 P.M. on Friday, April 25, 2003. Written material submitted after 5:00 P.M. on Wednesday, May 7, 2003 will not be provided to the Regional Board members and will not be considered by the Regional Board. If you have any questions, please contact Mr. Paul J. Richter of my staff at (858) 627-3929, or by e-mail at [richp@rb9.swrcb.ca.gov](mailto:richp@rb9.swrcb.ca.gov).

If you have any questions regarding the above, please contact Mr. Paul J. Richter of my staff at (858) 627-3929 or by e-mail at [richp@rb9.swrcb.ca.gov](mailto:richp@rb9.swrcb.ca.gov).

Respectfully,

JOHN H. ROBERTUS  
Executive Officer  
San Diego Regional Water Quality Control Board

JHR:mpm:jrp:pjr

Enclosures: Tentative Addendum No. 1 to Order No. R9-2002-0002.

cc: Terry Oda, Chief  
USEPA (w/ attachment)

John Richards (w/ attachment)  
SWRCB

Laura Hunter (w/ attachment)  
Environmental Health Coalition

Bruce Resnik (w/ attachment)  
San Diego BayKeeper

Cory J. Briggs, Esq.  
Briggs Law Corporation

***California Environmental Protection Agency***